

INDEX MAPS.

TH ✓

T.12N R.4W 2nd Mer.

	124	124	123-125	123-125	123-125	123-125						
128	6	137	5	140	4	142	3	146	2	151	1	122
	137		139		142		146		150		153	
127	7	136	8	139	9	141	10	145	11	150	12	122
	135=136		138		141		145		149		152	
127	18	133	17	138	16	141	15	144	14	149	13	122
	132		133=138		140		144		149		152	
126	19	132	20	134	21	140	22	143	23	148	24	121
	132		134		134		135=143		148		152	
126	30	131	29	133	28	134	27	143	26	147	25	121
	128		129		129		130		130=147		151	
126	31	128	32	129	33	131	34	129	35	131	36	120
	120		120		120		119		119		119	

T.13N R.4W 2nd Mer.

	161	160-161	160-161	160-162	160-162	160-162						
164	6	188	5	183	4	178	3	174	2	169	1	159
	190		186		182		178		173		168	
164	7	186	8	182	9	177	10	173	11	168	12	159
	189		186		182		177		172		168	
164	18	186	17	181	16	176	15	172	14	167	13	158
	189		185		181		176		171		167	
163	19	185	20	180	21	176	22	171	23	166	24	158
	189		185		180		175		171		166	
163	30	184	29	179	28	175	27	170	26	165	25	158
	188		184		179		174		170		165	
163	31	183	32	179	33	174	34	169	35	164	36	158
	156		156		155-157		155-157		155-158		155-157	

The figures on the lines refer to the page.

Township No 43 North of Range No 4 West of the 2nd Meridian
Ch. 167.

South Boundary

West On a Random line on the South Boundary of Sec. 36.
T. No 13. N. R. No 4 W.
22.50 To a Brook 12 miles wide, Course S.
40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
80.00 Set a temporary post for the cor. of Sec. 35 & 36. T. 13. N. R. 4 W.
Sands very rich and good for farming; Timber Buck
Sugar, Ash, and Poplar.

West On a Random line on the South Boundary of Sec. 35.
T. No 13. N. R. No 4 W.
3.00 To a Brook 8 miles wide, Course S. W.
22.00 " " " 12 " " " S.
40.00 Set a temporary post for the corner of $\frac{1}{4}$ sec.
42.00 To a Brook 3 miles wide, Course S.
76.00 " " " 5 " " " S. W.
80.00 Set a temporary post for the cor. of Sec. 34 & 35.
Sands similar to the last mile, and good for farming.

West On a Random line on the South Boundary of Sec.
34. T. No 13. N. R. No 4 W.
7.00 To a Brook. 12 miles wide, Course S.
40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
80.00 Set a temporary post " " " " Sec. 33 & 34
Sands rolling 2nd rate; middling good for farming
Timber Buck, Sugar, &c.

West On a Random line on the South Boundary of Sec. 33
T. No 13. N. R. No 4 W.
5.00 To a Brook. 5 miles wide, Course S.
40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
80.00 " " " " " " " " Sec. 32 & 33.
Sands same as last mile

T. N^o 13. N.R. N^o 4 W. 2nd Mer. Ind.

West On a Random line On the South Boundary of Sec. 32
T. N^o 13. N.R. N^o 4 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

52.00 To at Brook 12 links wide. Course N.

75.00 " " 6 " " " N.

80.00 Set a temporary post for the cor. of sec. 31 & 32

Same soil and timber same as last mile.

West On a Random line On the S. Boundary of Sec. 31. T. N^o 13.
N.R. N^o 4 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

62.00 Intersect the N.S. Range line 3.50 links North of the
Temporary post cor. of Ranges 12 & 13. N.R. N^o 4 & 5 W.
Same soil and timber same as last mile.

East On a true line between Sec. 6 & 31. From the South Boundary
of Sec. 31. T. N^o 13. N.R. N^o 4 W. Q 63.

22.00 Set the temporary post on the true line for the cor. of 1/4 sec. from
which a Beech 9 in. dia. bears S 41 E. 9 links dist. & a
Do. 9 " " " N 62 W 35 " "

62.00 Set the temporary post on the true line for the cor. of sec. 31 & 32
from which a Sugar 18 in. dia. bears N 71 W. 13 links dist.
and a Beech 12 " " " S 80 E. 30 " "

East On the true line On the South Boundary of Sec. 32. T. N^o
13. N.R. N^o 4 W. v. 5-50' 0

40.00 Set the temporary post on the true line for the cor. of 1/4 sec. from
which a Beech 10 in. dia. bears N 46 W. 13 links dist. &
a Do. 18 " " " S 32 E. 15 " "

80.00 Set the post (temporary) on the true line for the cor. of sec. 32 & 33
from which a Sassafras 12 in. dia. bears S 30 E. 15 links dist.
and a Sugar 20 " " " N 61 W 35 " "

157

T. N^o 13. N.R. N^o 47. 2nd Mer Ind^a.

East On a true line On the South Boundary of Sec. 33.
T. N^o 13. N.R. N^o 47.

40.00 Set the temp^y post on the true line for the cor. of $\frac{1}{4}$ sec. from
which a Buck. 4 in. dia^r bears S53 N. 8 links dish; & a
Do. 9 " " " N33 E. 41 " "

80.00 Set the temp^y post on the true line for the cor. of Sec. 33 & 34
from which a Buck. 14 in. dia^r bears N24 N. 24 links dish,
and a Do. 4 " " " S57 N. 7 " "

East On a true line On the South Boundary of Sec. 34.
T. N^o 13. N.R. N^o 47.

40.00 Made the $\frac{1}{4}$ sec. cor. on a W. Oak. 30 in. dia^r.

80.00 Set the temp^y post on the true line for the cor. of Sec. 34 & 35
from which a Sugar. 18 in. dia^r bears S27 N. 40 links dish
and a Buck. 15 " " " N20 E. 51 " "

East On a true line On the South Boundary of Sec. 35.
T. N^o 13. N.R. N^o 47.

40.00 Set the temp^y post on the true line for the cor. of $\frac{1}{4}$ sec.
from which a Buck. 30 in. dia^r bears N61 N. 18 links dish
and a Do. 14 " " " N84 E. 39 " "

80.00 Set a post (temp^y) on the true line for the cor. of Sec. 35 & 36
from which a Buck. 27 in. dia^r bears S13 N. 13 links dish
and a Sugar. 9 " " " N64 N. 45 " "

East On a true line On the South Boundary of Sec. 36. T. N^o
13. N.R. N^o 47.

40.00 Set the temp^y post on the true line for the cor. of $\frac{1}{4}$ sec.
from which a Hickory 6 in. dia^r bears N76 E. 9 links dish
and a Sugar. 12 " " " N65 N. 32 " "

80.00 To the cor. of Towns 12 & 13. 13 & 14 N.R. N^o 3 & 4
Established the cor. 4.84 ch South of Temp^y Town cor.
from which a Buck. 18 in. dia^r bears S80 N. 11 links dish; & a

T. N^o 13. N.R. N^o 4th 2nd M^o Ind^o

Elm 24 in. dia: bears S 83 E. 49 links dish;

East Boundary		v. 6° 20'	Q 81
North	On the East Boundary of Sec. 36. T. N ^o 13. N.R. 4 th .		
38.00	To a Brook 9 links mid, Course S. W.		
40.00	Made the 1/4 Sec. corner in a Sugar. Elm no dia:		
80.00	Set a post for the cor. of Sec. 35 & 36 from which a Beck 9 in. dia: bears S 81 E. 14 links dish; and a Walnut 10 " " " S 41 W. 18 " " Sands well S. and good for farming; Timber Beck, Sugar. Ash, Oak. Hickory &c.		
North	On the East Boundary of Sec. 25. T. N ^o 13. N.R. 4 th		
40.00	Set a post for the cor. of 1/4 Sec. from which a Beck 10 in. dia: bears N 46 E. 19 links dish; and a Do. 12 " " " S 10 W. 22 " "		
45.00	To a Brook 8 lks mid, Course N. W.		
70.00	" " " 10 " " " N. W.		
80.00	Set a post for the cor. of Sec. 24 & 25 from which a Beck 9 in. dia: bears S 72 E. 10 links dish; and a Do. 9 " " " West 10 " " Sands same as last mile.		
North	On the East Boundary of Sec. 24. T. N ^o 13. N.R. 4 th		
40.00	Set a post for the cor. of 1/4 Sec. from which a Beck 9 in. dia: bears N 19 W. 35 links dish; and a Do. 18 " " " S 36 E. 13 "		
62.00	To a Brook 2 1/2 links mid, Course N. "		
80.00	Set a post for the cor. of Sec. 13 & 24 from which a Dogwood 6 in. dia: bears S 37 W. 7 links dish; & a Sugar 18 " " " N 4 W. 24 " " Sands soil and timber same as last mile.		
North	On the East Boundary of Sec. 13. T. N ^o 13. N.R. 4 th		

159

T. N^o 13 N.R. N^o 47th 2nd Mn Ind.

40.00 Set a 14 cu. post from which a
 Sugar. 12 in. dia: beams S 19 N. 46 miles due; and a
 Ironwood 9 " " N 5 N. 31 " "
 80.00 Set a post for the cor of sec. 12 & 13. from which a
 Buck. 18 in. dia: beams S 39 N. 6 miles due; and a
 Q. 9 " " North 27 " "
 Same same as last mile.

North On the East Boundary of sec. 12. T. N^o 13 N.R. 47th.
 1.00 To a Brook. 5 miles wide, Course N.N.
 40.00 Set a 14 cu. post from which a
 Buck. 9 in. dia: beams S 62 N. 23 miles due; & a
 Sugar. 10 " " S 62 E. 17 " "
 42.50 To a Creek 30 miles wide, Course N.
 80.00 To a Brook. 3 " " " N.N.
 80.00 Set a post for the cor of sec. 12 & 13 from which a
 Buck. 15 in. dia: beams N 78 N. 50 miles due; & a
 Sugar. 14 " " S 15 E. 46 " "
 Same dir and timber same as last mile.

North On the East Boundary of sec. 1. T. N^o 13 N.R. N^o 47th.
 16.50 To a Brook 8 miles wide, Course S.N.
 40.00 Set a 14 cu. post from which a
 Sugar. 14 in. dia: beams S 8 E. 14 miles due; and a
 Buck. 6 " " N 86 N. 4 " "
 80.00 Set a stump post for the cor of T. N^o 13 & 14 N.R. N^o 47th.
 77.66 To Township Cor. Same same as last mile.

North Boundary

V. 5055' Q83.

West On a Run from line On the South Boundary of sec. 36.
 T. N^o 14 N.R. N^o 47th. July 16th 1819
 1.50 To a Creek 50 miles wide, Course S.N.

T. N^o 13. N.R. N^o 47. 2nd Mer Ind.

40.00	Set a temp ^y $\frac{1}{4}$ sec. post
68.00	To a Brook 40 miles wide, corner S.
80.00	Set a temp ^y post for the cor. of sec. 35.136. Sandy soil and good for farming; Timber Birch, Sugar Ash, Oak, Hickory etc.
West	On a Random line On the South Boundary of sec. 35. T. N ^o 14. N.R. N ^o 47.
40.00	Set a temp ^y $\frac{1}{4}$ sec. post
80.00	Set a " post for the cor. of Sec. 34.135 Sandy soil and timber same as last mile.
West	On a Random line On the South Boundary of sec. 34 T. N ^o 14. N.R. N ^o 47.
6.00	To a Brook 5 miles wide, corner S.
40.00	Set a temp ^y $\frac{1}{4}$ sec. post
80.00	Set a temp ^y post for the cor. of sec. 33.134 Sandy soil and timber same as last mile.
West	On a Random line On the South Boundary of sec. 33. T. N ^o 14. N.R. N ^o 47.
40.00	Set a temp ^y $\frac{1}{4}$ sec. post
50.00	To a Brook 8 miles wide, corner S.
62.00	" " do. 15 " " " S.
80.00	Set a temp ^y post for the cor. of sec. 32.133. Sandy soil and timber same as last mile.
West	On a Random line On the South Boundary of sec. 32. T. N ^o 14. N.R. N ^o 47.
33.00	To a Brook 12 miles wide, corner S.
40.00	Set a temp ^y $\frac{1}{4}$ sec. post
80.00	To a Brook 5 miles wide, corner S.
80.00	Set a temp ^y post for the cor. of sec. 31.132

T. N^o 13 N.R. N^o 4 N. 2nd M^o. Ind^o.

Land same as last mile.

West On a random line on the South Boundary of Sec. 31
40.00 Set a temp^y $\frac{1}{4}$ sec. post
61.00 Subduct the N & S Range line 23 links North of
the Temp^y Township Cor.
Land same as last mile.

East On a true line on the South Boundary of Sec. 31
T. N^o 14 N.R. N^o 4 N. v 5.55' 296
21.00 Set the temp^y post on the true line for the cor. of $\frac{1}{4}$ sec.
from which a Buck. 12 in. dia^r band S 77 N. 10 the dist.
and a Do 8 " " " S 64 E. 32 " "
61.00 Set the temp^y post on the true line for the cor. of $\frac{1}{4}$ sec.
from which a Buck. 8 in. dia^r band N 14 E. 25 the dist.
and a Sugar 14 " " " S 24 N. 3 " "

East On a true line on the South Boundary of Sec. 32
T. N^o 14. N.R. N^o 4 N.
40.00 Set the temp^y post on the true line for the cor. of $\frac{1}{4}$ sec.
from which a Buck. 20 in. dia^r band N 69 E. 10 the dist.
and a Do. 4 " " " S 77 N. 10 " "
64.00 To a Brook 10 links wide, Course E.
79.50 " " Do. 10 " " " N
80.00 Set the temp^y post on the true line for the cor. of Sec. 32
33 from which a Buckeye 15 in. dia^r band N 27 N. 16 the dist.
and a Sugar 20 " " " East 35 " "

East On the true line on the South Boundary of Sec. 33.
26.00 To a Brook 10 links wide, Course E.
40.00 Set the temp^y post on the true line for the cor. of $\frac{1}{4}$ sec.
from which a Buck 9 in. dia^r band East 9 the dist.
and a N. Ash 6 " " " N 38 N. 40 " "

T. N^o 13. N.R. N^o 47. 2nd M^o M^o Ind.^a

80.00 Set the temporary post on the true line for the cor of Secs. 33 & 34
from which a Buck. 10 in. dia. beam N 68° 47' 7" E 18" dish;
and a Do. 10 " " " S 39° E 18" "

East. On a true line on the South Boundary of Sec. 34.
T. N^o 14. N.R. N^o 47.

20.00 To a Brook 8 links wide, Corner S.

40.00 Set the temporary post on the true line from which a
Sugar. 12 in. dia. beam S 80° 47' 30" E 30" dish; and a
Do. 12 " " " S 62° E 8 " "

60.00 To a Brook 10 links wide, Corner S

70.00 " " Do. 5 " " " " "

80.00 Set the temporary post on the true line for cor of Secs. 34 & 35
from which a Sugar. 24 in. dia. beam S 58° 47' 15" E 15" dish;
and a Do. 10 " " " N 58° E 5 " "

East. On the true line On the South Boundary of Sec. 35.
T. N^o 14. N.R. N^o 47.

40.00 Set the temporary post on the true line from which a
Sugar 9 in dia. beam N 27° 47' 6" E 6" dish; and a
Do. 18 " " " S 60° 47' 20 " "

80.00 Made the cor of Secs. 35 & 36 in a B. Oak. 30 in. dia.

East. On the true line On the South Boundary of Sec. 36.

40.00 Made the cor of 1/4 Sec. in a B. Walnut 20 in. dia.

70.00 To a Brook 70 links wide, Corner S.W.

80.00 Set a post for the cor of Secs. 1. 6. 31 & 36. T. N^o 13. 13 &
14. & 14. N.R. N^o 31 & 47 2. 34 links South of the
Temporary Iron cor; from which a
Buck. 30 in dia. beam N 10° E 30 links dish; and a
Do. 5 " " " S 37° 47' 10 " "

West Boundary

T. N. 13. N. R. N. 47. 2nd Mer. Ind.

North On the East Boundary of Sec. 36. T. N. 13. N. R. 57
 17.00 To a Brook 8 links wide, Course N.E.
 40.00 Set a 1/4 sec. post from which a
 Beech 12 in. dia. bears S 52 W 7 links due; and a
 Do. 10 " " " N 63 E. 43 " "
 80.00 Set a post for the cor. of Sec. 25 & 36. from which a
 Beech 12 in. dia. bears N 61 W. 16 links due; & a
 W Oak. 30 " " " S 49 E. 17 " "
 Same rather Poor Run and middling good for farming
 Timber Oak, Beech, Sugar, &c.

North On the East Boundary of Sec. 25 T. N. 13. N. R. N. 57
 45.00 To a Brook 5 links wide, Course E.
 40.00 Set the 1/4 sec. post from which a
 Beech 12 in. dia. bears S 64 E. 20 links due; & a
 Ash 9 " " " N 57 W. 18 " "
 80.00 Set a post for the cor. of Sec. 24 & 25 from which
 a Beech 5 in. dia. bears S 51 W. 14 links due;
 & a Spruce 18 " " " S 78 E. 18 " "
 Same Soil and timber same as last mile.

North On the East Boundary of Sec. 24 T. N. 13. N. R. 57
 June. 9. 1819.
 2.00 To a Brook 20 links wide, Course W.
 4.00 " " Creek 100 " " " S. W.
 25.00 " " Brook. 5 " " " "
 40.00 Set a 1/4 sec. post from which a
 Beech 15 in. dia. bears N 45 E. 25 links due; & a
 Do. 24 " " " S 35 W. 12 " "
 80.00 Set a post for the cor. of Sec. 13 & 24 from which a
 Beech 24 in. dia. bears S 64 E. 8 links due; & a
 Do. 18 " " " S 33 W. 11 " "
 Same soil & good for farming; Timber Same

T. N^o 13. N.R. N^o 4 7th. 2nd Mer. Sec^a

North On the East Boundary of Sec. 13. T. N^o 13. N.R. 5th.
 40.00 Set a 7/4 Sec post from which on
 Buckeye 9 in. dia: band N 37 E. 7 links dist; to a
 Buck 18 " " S 33 W. 18 " "
 80.00 Set a post for the cor. of Sec. 12 & 13 from which on
 W. Walnut 9 in. dia: band S 5 W. 34 links dist; to a
 Buckeye 12 " " N 19 E. 27 " "
 Lands similar Part rather broken

North On the East Bound^y of Sec. 12. T. N^o 13. N.R. 5th.
 9.00 To a Buck. 40 links wide, Course S 77
 30.00 " " Do 5 " " " S.E.
 40.00 Set a 7/4 Sec post from which on
 Iron rods 5 in. dia: band N 77 E. 7 lks dist; to a
 Do. 5 " " " S 66 W. 7 " "
 80.00 Set a post for the cor. of Sec. 11 & 12 from which on
 Buck. 14 in. dia: band N 6 W. 5 links dist; to a
 Do. 9 " " " S 6 W. 15 " "
 Lands sub and timber same.

North On the East Boundary of Sec. 1. T. N^o 13. N. R. 5th.
 25.00 To a Brook. 8 links wide, Course N.
 40.00 Set a 7/4 Sec post from which on
 Elm 9 in. dia: band S 65 W. 14 links dist; to a
 Do. 8 " " " N 66 E. 13 " "
 80.00 Set a temp^y post for the cor. of T^h N^o 13. 13 & 14
 14. N.R. N^o 4 & 5 W.
 Lands and timber same; good for farming
 80.23 To Township Cor. Surveyed by W^m Harris W.S.

Subdivisions

North Between Sec. 35 & 36. T. N^o 13. N.R. N^o 4 W.
 10.50 To a Brook 4 links wide, Course S 77

T. N^o 13. N.R. N^o 47th 2nd Mer Ind.

11.00	To a Brook 4 links wide, Corner A.W.
12.50	" " " " " " " " S.W.
13.65	To a Buck 24 in. dia ^r stands in the line
40.00	Set a $\frac{1}{4}$ sec. post from which a Buck 14 in. dia ^r bears S 26 E. 6 links dist; and a Do. 18 " " " S 89 W. 40 " "
55.00	To a Brook 4 links wide, Corner S.W.
61.00	" " W. Oak 30 in. dia ^r stands in the line
80.00	Set a post for the cor. of Sec. 25, 26, 35 & 36 from which Buck 14 in. dia ^r bears S 60 W. 25 links dist; to Do. 18 " " " N 11 E 28 " " Lands coll ^d ; Timber Buck, W. Oak, Sugar, Poplar, & Undergrowth Spruce.

East	On a Random line between Sec. 25 & 36 T. N ^o 13. N.R. 47 th
40.00	Set a temp ^y $\frac{1}{4}$ sec post
79.68	Intersect the East Boundary 71 links South of the post set for the cor. of Sec. 25 & 36. Lands coll ^d ; Timber Sugar, Buck, Poplar, W. Oak &c. Undergrowth Spruce. &c

West	On the true line between Sec. 25 & 36. T. N ^o 13. N.R. 47 th
39.84	Set the temp ^y post at the aver. dist in the true line for the cor of $\frac{1}{4}$ sec. from which a Sugar 16 in. dia ^r bears N 55 E. 11 links dist; to Ash 20 " " " S 80 W. 10 " "
79.88	To the post cor of Sec. 25, 26, 35 & 36.

North	Between Sec. 25, & 26 T. N ^o 13. N.R. N ^o 47 th .
19.50	To a Buck 12 in. dia ^r stands in the line
40.00	Set a $\frac{1}{4}$ sec post from which an Ash 20 in. dia ^r bears N 33 W. 14 links dist; to Buck 14 " " " N 56 E. 8 " "

T. N. 13. N. 40. N. 47. 2nd Min. Ind.

48.00 To a Sugar 14 in dia. stands in the line
 80.00 Set a post for the cor of Sec. 23, 24, 25. & 26 from which
 a Sugar 16 in. dia. bears East 19 links dist. & a
 B. Walnut 12 " " S 81 E. 13 " "
 Land rolling and rich; Timber B & W. Walnut, Beech, Sugar,
 Ash, Oak, Poplar, & Mudw. Spruce, & Pawpaw

East On a Random line between Sec. 24 & 25. T. N. 13. N. 40. 47
 40.00 Set a temporary 1/4 sec post
 65.50 To a Brook 15 links wide, crosses N.W.
 79.49 Intersect the East Boundary 16 links South of the
 post cor of Sec. 24 & 25
 Land rolling and rich; Timber B & W. Walnut
 Sugar Ash, & Mudw. Spruce, &c

West On the true line between Sec. 24 & 25. T. N. 13. N. 40. 47
 39.74 Set the temporary post at the aver. dist. on the true line for the
 cor of 1/4 sec from which a
 Beech 30 in. dia. bears N 12 W. 35 links dist; and a
 Do 8 " " " S 12 W. 24 " "
 79.49 To the post cor of Sec. 23, 24, 25. & 26.

North Between Sec. 23 & 24. T. N. 13. N. 40. 47
 22.00 To a Sugar 14 in dia. stands in the line
 40.00 Set a 1/4 sec post from which a
 Beech 40 in. dia. bears S 12 E. 12 links dist; & a
 Do 8 " " " N 33 W. 5 " "
 47.50 To a Brook 12 links wide, crosses N.W.
 66.30 " " Beech 18 in. dia. stands in the line
 80.00 Set a post for the cor. of Sec. 13, 14, 23. & 24 from which
 a W. Oak 24 in. dia. bears S 56 E. 24 links dist; &
 a Do. 8 " " " S 35 W. 11 " "
 Land N. 1/2 mile Rolling and rich; 2nd p. some

T. N. 13. N. R. N. 4 W. 2nd Mer. Ind. 167

Timber B & W. Walnut, Sugar, Beech, Ash, Poplar
Undergrowth Spire

East On a Random line between Sec. 13 & 24 T. N. 13. N. R. 4 W.
6.84 To a Brook 10 miles wide, Course S.
29.50 " " Sand 10 " " " S.E.
40.00 Set a temp. 1/4 sec. post
49.50 To a Spring Branch, Course S.W.
73.50 " " do do. " Course S.
79.38 Enter the East Boundary 13 miles South of the
post cor of Sec. 13 & 24
Land partly level and partly rolling; Timber Beech,
Sugar, Poplar, H. Oak & Undergrowth Spire.

West On the true line between Sec. 13 & 24 T. N. 13. N. R. 4 W.
39.69 Set the temp. 1/4 sec. post at the aver. dist on the true line for the
cor of 1/4 sec. from which a
Beech 30 in. diam. bears N 56 E 27 miles dist; and a
Ash 10 " " " N 57 W. 34 " "
79.38 To the post cor of Sec. 13. 14. 23 & 24 Oct. 4. 1819.

North Return Sec. 13 & 14 T. N. 13. N. R. 4 W.
24.00 To a Beech 24 in. diam. stands in the line
40.00 Set the 1/4 sec. post from which a
Sugar. 18 in. diam. bears N 6 E. 15 miles dist; & a
Beech. 30 " " " S 37 E. 14 " "
56.25 To a Sugar 14 in. diam. stands in the line
80.00 Set a post for the cor of Sec. 11. 12. 13. & 14 from which a
Sugar. 18 in. diam. bears N 36 E. 32 miles dist; and a
Beech. 10 " " " N 78 W. 31 " "
Land coll. 8 and rich; Timber B & W. Walnut, Beech,
Sugar, Poplar Ash & Undergrowth Spire & Pawpaw.

T. No 13. N.R. No 4. W. 2nd Mer Ind.

East On a Random line between Sect 12 & 13. T. No 13. N.R. 4 W.
 19.00 To a Spring branch corner N.W.
 26.20 " " To a Brook 5 links wide, corner N.W.
 40.00 Set a temp. $\frac{1}{4}$ sec. post
 41.50 To a Brook 3 links wide, corner N.W.
 79.05 Intersect the East Boundary 56 links South of the post
 cor of Sect 12 & 13.
 Lands rolling & rich; timber 1st & 2nd Walnut, Beech,
 Sugar, Ash and Poplar, Undergrowth Spruce & P

West On the true line between Sect 12 & 13. T. No 13. N.R. 4 W.
 39.50 Set the temp. $\frac{1}{4}$ post at the av. dist on the true line for the
 cor of $\frac{1}{4}$ sec. from which a
 Beech 6 in dia: bears S 40 E 16 links dist; and a
 Do. 12 " " " S 47 W 35 " "

North Between Sect 11 & 12 T. No 13. N.R. No 4 W.
 11.00 To a Creek 50 links wide, corner N.W.
 29.20 " " Sugar 20 in dia: stands in the line.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar 18 in dia: bears S 57 E 10 links dist; & a
 Do. 20 " " " N 42 W 11 " "
 67.00 To a Beech 20 in dia: stands in the line
 68.00 " " Spring branch corner N.W.
 71.00 " " " " " N.W.
 80.00 Set a post for the cor of Sect 12. 11. & 12 from which a
 Sugar 18 in dia: bears N 30 W 9 links dist; and a
 Do. 12 " " " E 55 E 38 " "
 Lands 1st & 2nd mile rolling and rich; 2nd & 3rd do. timber
 1st & 2nd Walnut, Ash, Sugar, Beech, &c

East On a Random line between Sect 1 & 12 T. No 13. N.R. 4 W.
 15.31 To a Rocky Spring corner N.W.

169

T. N^o 13. N.R. N^o 477. 2nd Mer. Ind.

40.00 Set a temporary $\frac{1}{4}$ sec. post.
 78.38 Enter at the East Boundary of T. N^o 13. N.R. 477
 145 links south of the post cor of Sec. 1 & 12
 Land rolling; Timber Beech, B. Walnut, Sugar,
 Ash & Undergrowth Spruce.

West
 39.19 On the true line between Sec. 1 & 12 T. N^o 13. N.R. 477
 Set the temporary post at the corner with the true line
 for the cor of $\frac{1}{4}$ sec. from which a
 Sugar 20 in. dia. bears S 53° W 8 links dist. and a
 Do. 24 " " " S 83° E 18 " "
 78.38 To the post cor of Sec. 1. 2. 11 & 12.

North
 15.50 Between Secs 1 & 2 T. N^o 13. N.R. N^o 477.
 To a Beech 30 in. dia. stands in the line
 25.00 To a Brook 50 links wide, Course N.W.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar 20 in. dia. bears N 23° W. 18 links dist. and a
 Elm 28 " " " S 83° E. 28 " "
 64.05 To a Brook 50 links wide, Course S.E.
 67.00 To the same " " " " West
 70.96 " " " " " " N.E.
 81.27 Enter at the North Boundary 276 links East of the
 post corner of Sec. 35 & 36. T. N^o 14. N.R. N^o 477. and
 set a post for the cor. of Sec. 1 & 2 from which a
 Cherry 12 in. dia. bears N 65° W. 8 links dist. and a
 Buckeye 10 " " " S 29° E. 42 " "
 Land $\frac{1}{2}$ to 1 mile rolling and Rich; 2nd & 3rd level land with
 Timber B. Walnut, Hackberry, Beech & Undergrowth
 Spruce. Oct. 15. 1819.

North
 19.10 Between Secs. 34 & 35 T. N^o 13. N.R. N^o 477.
 To a Beech 12 in. dia. stands on the line

T. N^o 13. N.R. N^o 14. T^h. 2nd Mrs. Ind^a.

- 30.25 To Spring branch 2 miles wide, Corner Sth.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Beech 14 in. dia^r bears S 39th 26 miles dist; and a
 Do. 4 " " " N 54 E. 7th " "
 56.00 To a Beech 10 in dia^r stands in the line
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which a
 Beech 10 in dia^r bears S 26 E. 19 miles dist; and a
 Sugar 12 " " " N 16th 19th " "
 Land rolling; Timber Beech, Sugar, Poplar, Ash &c.
 Under the Spruce.

- East On a Random line between Sec. 26 & 35 T. N^o 13. N.R. 4th.
 40.00 Set a temporary $\frac{1}{4}$ sec. post
 70.00 To a Brook 15 miles wide, Corner Sth.
 79.94 Intersect the N.W.S. line 36 miles South of the post cor of
 Sec. 25, 26, 35 & 36.

- West On the true line between Sec. 26 & 35 T. N^o 13. N.R. 4th.
 39.97 Set the temporary post at the aver. dist on the true line for the
 cor of $\frac{1}{4}$ sec from which a
 W. Walnut 10 in. dia^r bears S 81th 25 miles dist; and a
 Elm 10 " " " N 50 E. 17 " "
 79.94 To the post cor of Sec. 26, 27, 34 & 35.
 Land rolling and rich; Timber same as last mile.

- North Between Sec. 26 & 27 T. N^o 13. N.R. N^o 14th.
 12.00 To a W. Oak 36 in. dia^r stands in the line.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Beech 18 in dia^r bears N 27th 7 miles dist; and a
 W. Ash 36 " " " S 45 E. 41 " "
 50.75 To a Poplar 40 in. dia^r stands in the line.
 54.00 To a Brook 10 miles wide, Corner Nth.
 80.00 Set a post for the cor of sec. 22, 23, 26, & 27 from which a

171

T. N^o 13. N.R. N^o 4 W. 2nd Mer. Ind.

Beck. 24 in. dia. beam S 26 N. 23 miles dist. and a
 Do. 20 " " " N 25 E 43 " "
 Lands rolling; Timber same as last mile.

East On a Random line between Sec. 23 & 26. T. N^o 13. N.R. 4 W.
 36.00 To a Spring Branch 5 miles wide. Corner N.W.
 40.00 Set a temp. 1/4 sec. post
 79.69 Intersect the N.E.S. line 84 miles South of the post cor.
 of Sec. 23, 24, 25, & 26.

West On the true line between Sec. 23 & 26. T. N^o 13. N.R. 4 W.
 39.84 Set the temp. post at the app. dist. on the true line for the
 cor. of 1/4 sec. from which a
 Beck. 4 in dia. beam S 48 E. 5 miles dist. and a
 Do. 3 " " " N 15 E. 10 " "
 79.69 To the post cor. of Sec. 22, 23, 26, & 27
 Lands rolling and rich; Timber same as last mile.

North Between Sec. 22 & 23. T. N^o 13. N.R. N^o 4 W.
 13.00 To a W. Oak 36 in. dia. stands in the line.
 40.00 Set a 1/4 sec. post from which a
 Beck. 30 in dia. beam. N 62 W. 18 miles dist.; and a
 Do. 12 " " " S 85 E 38 " "
 67.60 To a Poplar 18 in dia. stands in the line
 80.00 Set a post for the cor. of sec. 14, 15, 22 & 23. from which a
 Beck. 8 in dia. beam. S 69 E. 16 miles dist. and a
 Do. 6 " " " N 60 W. 18 " "
 Lands rolling and rich; Timber same as last mile

East On a Random line between Sec. 24 & 23. T. N^o 13. N.R. 4 W.
 2.50 To a Spring Branch, Corner N.
 40.00 Set a temp. 1/4 sec. post
 45.50 To a Spring Branch, Corner N.

T. N. 13. N. R. N. 47. 2nd Mer. Ind.

- 51.25 To a Spring Branch Course N.
 52.50 To a Stream 50 links mid, Course N. W.
 79.89 Enter Sect the N. & S. line 92 links South of the post cor.
 of Sec. 13. 14. 23. & 24

- West On the true line between Sec. 14 & 23. T. N. 13. N. R. 47.
 39.94 Set the temporary 1/4 sec. post at the aver. dist on the true line
 from which a Beech 20 in. diam. bears N 38 E 25 links dist.
 and a Beech 10 " " " S 84 W. 10 " "
 79.89 To the first cor. of Sec. 14, 15, 22, & 23.
 Sand rolling; Timber Beech, Sugar, Poplar, & Mad-
 growth Spruce. Oct. 4th 1819

- North Between Sec. 14 & 15 T. N. 13. N. R. N. 47
 31.00 To a Brook 50 links mid, Course S. W.
 34.00 To a Beech 15 in. diam. stands in the line
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Beech 40 in. diam. bears N 42 W 20 links dist; a
 W. Oak 10 " " " N 55 E. - " "
 54.50 To a Sugar 18 in. diam. stands in the line
 65.00 To a Stream 6 links mid, Course S. E.
 80.00 Set a post for the cor. of Sec. 10. 11. 14 & 15 from which
 Beech 15 in. diam. bears S 25 E 17 links dist; a
 Do. 10 " " " N 34 W. 11 "
 Sand rolling and rich. Timber Beech, Sugar, Wal-
 nut Ash &c. Mad growth Spruce.

- East On a Random line between Sec. 11 & 14 T. N. 13. N. R. 47
 4.00 To a Spring branch 6 links mid; Course S. E.
 15.00 To a Brook 30 links mid, Course S. W.
 40.00 Set a temporary post for the cor. of 1/4 sec.
 80.00 Enter Sect the N. & S. line 216 links South of the
 post cor. of Sec. 11. 12. 13. & 14.

173

T. N^o 13. N. R. N^o 47. 2nd Mer. Sur.^a

West On the true line between Sec. 11 & 14 T. N^o 13. N. R. 47
 40.00 Set the true $\frac{1}{4}$ sec. post at the avor. dish on the true line for the cor. of $\frac{1}{4}$ sec. from which a
 Beech 12 in. dia: bears N 87^W 19 links dish; to
 Do. 15 " " " N 84 E. 29 " "
 80.00 To the post cor. of Sec. 10. 11. 14 & 15.
 Sand rolling; Limbo Beech, Sugar, and W.
 Oak; Undergth Spice, 1 Hogwood.

North Between Sec. 10 & 11 T. N^o 13. N. R. N^o 47.
 3.50 To a Spring run 6 links wide, Course S. E.
 24.00 To a Sugar 10 in. dia: stands in the line.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar 10 in. dia: bears N 23 E. 39 links dish; to
 Beech 15 " " " S 59^W 23 " "
 80.00 Set a post for the cor. of Sec. 2, 3, 10 & 11 from which
 a W. Walnut 4 in. dia: bears N 51 E. 33 links dish; to
 W. Ash 24 " " " South 18 " "
 Sand rolling and rich; Limb: Beech, Sugar, &
 Poplar; Underth Spice & Pawpaw.

East On a Pandum line between Sec. 2 & 11 T. N^o 13. N. R. 47
 40.00 Set a true $\frac{1}{4}$ sec. post
 80.91 Intersect the N & S line 130 links South of the post
 cor. of Sec. 1. 2. 11. & 12
 Sand roll. and rich; 2nd p. same

West On the true line between Sec. 2 & 11 T. N^o 13. N. R. 47
 40.46 Set the true $\frac{1}{4}$ sec. post at the avor. dish on the true line for the cor. of $\frac{1}{4}$ sec. from which a
 Beech 30 in. dia: bears S 41 E. 3 links dish; to
 Do. 36 " " " N 27^W 50 " "
 Sand roll. and rich; Limbo Beech, B. & W.

T. N^o 13. N.R. N^o 4 N. 2nd Mm. Ind^a

Walnut; Poplar, Ash, Sugar, Oak, Dogwood &
 Undergth Spruce & Pawpaw

North Between Sect. 2. & 3. T. N^o 13. N.R. N^o 4 N.
 20.00 To a stream 100 links wide, Course S.W.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Beech 18 in. dia^r stands N 52 E. 18 links dist; to
 No. 12 " " " S 46 N. 17 " "
 82.04 Intersect the N. Boundary 252 links East of the
 post cor. of Sect. 34. & 35. T. N^o 14. N.R. N^o 4 N. & set
 a post for the cor. of Sect. 2 & 3. From which a
 Beech 15 in. dia^r stands S 84 N. 41 links dist; to
 No. 10 " " " S 23 E. 4 " "
 Sand collected. Timber Beech, Sugar Walnut, Pop-
 lar &c. W. G. Spruce Oct 25. 1819

North Between Sect. 33. & 34 T. N^o 13. N.R. N^o 4 N.
 21.00 To a Beech 18 in dia^r stands in the line
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Beech 15 in. dia^r stands N 39 E. 4 links dist; to
 No. 12 " " " S 74 N. 27 " "
 59.50 To a Dogwood 4 in. dia^r stands in the line.
 80.00 Set a post for the cor. of Sect. 27. 28. 33. & 34 from which
 a Beech 4 in dia^r stands S 58 E. 7 links dist; to
 No. 5 " " " N 21 N. " " "
 Sand collected and nich; Timber Beech, Oak, Ash,
 and Poplar. Under 9th Spruce.

East On a R. and an line between Sect. 27. & 34 T. N^o 13. N.R. N^o 4 N.
 40.00 Set a true $\frac{1}{4}$ sec. post
 80.45 Intersect the N. 1st line 33 links North of the post
 cor. of Sect. 26. 27. 34 & 35.

175

T. N^o 13. N.R. N^o 47. 2nd Mer Ind.

West On the true line between Sect. 27. 134 T. N^o 13. N.R. 47.
 40.22 1/2 Set the trumpet post at the av. dist. on the true line for
 the cor. of 1/4 sec. from which a
 Sugar. 10 in. dia: bears N 14 E. 16 links dist; to a
 Ho. 14 " " " S 11 W. 30 " "
 80.45 To the post cor. of Sect. 27. 28. 33. 134.
 Sands & Timber same as last mile.

North Between Sect. 27 & 28 T. N^o 13. N.R. 47.
 16.00 To a Sugar. 24 in. dia: stands in the line.
 40.00 Set a 1/4 sec. post from which a
 Beech. 24 in. dia: bears N 29 W. 5 links dist; to a
 Ho. 24 " " " S 57 E. 16 " "
 61.60 To a W. Oak 24 in. dia: stands in the line.
 80.00 Set a post for the cor. of Sect. 21. 22, 27. & 28. from which
 a Beech. 12 in dia: bears S 69 E. 25 links dist; to a
 Ho. 4 " " " N 35 W. 22 " "
 Sands rolling and broken; Timber as before.

East On a Random line between Sect. 22. 127 T. N^o 13. N.R. 47.
 40.00 Set a trumpet 1/4 sec. post
 59.50 To a Rocky Run 10 links wide, Course N.W.
 80.33. Intersect the N & S line 55 links North of the post
 cor of Sect 22, 23. 26. 127.

West On the true line between Sect. 22. 127 T. N^o 13. N.R. 47.
 40.16 Set the trumpet post at the av. dist. on the true line
 for the cor of 1/4 sec. from which a
 Sugar. 14 in dia: bears. N 12 W. 23 links dist; to a
 Beech. 12 " " " S 4 E. 26 " "
 Sands rolling and broken; Timber Beech, Sugar,
 Oak & Poplar &c. Undergrowth Dogwoods & Spice
 80.33 To the post cor. of Sect. 21. 22, 27. & 28

T. N^o 13. N.R. N^o 4 W. 2nd Mer. Ind.?

North Return Sec. 21. & 22. T. N^o 13. N.R. N^o 4 W.
 14.00 To a Poplar 14 in. dia. stands in the line.
 40.00 Set a $\frac{1}{4}$ cu. post from which an
 Ironwood 3 in dia. bears N 83 W 16 links dist; to a
 Buck. 24 " " " S 56 E. 8 " "
 50.00 To a Brook 15 links wide, Course —
 53.00 To a W. Oak. — in dia. in line
 80.00 Set a post for the cor. of Sec. 15. 16. 21. & 22 from which
 Buck. 24 in. dia. bears S 42 E. 16 links dist; to a
 L. 12 " " " N 38 W. 33, "

East On a Random line between Sec. 15 & 22 T. 13. N.R. 4 W.
 40.00 Set a temporary $\frac{1}{4}$ cu. post
 80.33 Intersect the N & S line 73 links North of the post
 corner of Sec. 14, 15, 22, & 23.

West On the true line between Sec. 15 & 22 T. 13. N.R. 4 W.
 40.16 Set the temporary post at the adv. dist. on the true line for
 the cor. of $\frac{1}{4}$ cu. from which a
 Sugar. 15 in dia. bears S 46 W. 16 links dist; to a
 Buck. 30 " " " N 46 E. 26 " "
 Land rolling and rich; Timber Buck. Walnut, Ash,
 and Sugar, Oct. 6. 1819
 80.33 To the post cor. of Sec. 15. 16. 21. & 22

North Return Sec. 15 & 16 T. N^o 13. N.R. N^o 4 W.
 16.50 To a Buck. 18 in. dia. stands in the line
 40.00 Set a $\frac{1}{4}$ cu. post from which a
 Cherry 12 in dia. bears S 20 E. 8 links dist; to a
 Gum. 5 " " " N 21 W. 9 " "
 52.00 To a Brook 50 links wide, Course N.W.
 69.00 To a W. Oak. 30 in. dia. stands in the line.
 70.40 To a Spring, Course N.W.

177

T. N^o 13. N. R. N^o 47th 2nd Mer. Ind.

80.00	Set a post for the cor. of Sec. 9. 10. 15 & 16. from which Beck 6 in. dia: bears S47 N. 3 miles dist; to W. Oak. 30 " " " S58 E. 12 " " Lands rolling and rich; Timber same as last mile
Cash	On a Random line between Sec. 10 & 15 T. N ^o 13. N. R. 47 th
11.00	To a spring branch 2 miles mid; Course S. W.
22.00	" " " " " " " " S. W.
40.00	Set a temporary 1/4 sec. post.
80.42	Enter out the N. 13 line 2 miles North of the post cor. of Sec. 10. 11. 14 & 15
West	On the true line between Sec. 10 & 15 T. N ^o 13. N. R. 47 th
40.21	Set the temporary post at the aver. dist on the true line for the cor. of 1/4 sec. from which Beck 4 in. dia: bears S48 N. 10 miles dist; to Co. 4 " " " " N57 E. 10 " "
80.42	To the post cor. of Sec. 9. 10. 15. & 16. Lands rolling and Broken; as before. Timber same as last mile.
North	Return Sec. 9 & 10 T. N ^o 13. N. R. N ^o 47 th .
13.00	To a Brook 100 miles mid; Course S. W.
24.50	To a Beck 15 in. dia: stands in the line.
34.00	To a spring branch 2 miles mid; Course E.
40.00	Set a 1/4 sec. post from which Beck 24 in. dia: bears S42 N. 15 miles dist; to Co. 30 " " " " N63 E. 13 " "
59.50	To a Beck 15 in. dia: stands in the line.
80.00	Set a post for the cor. of Sec. 3. 4. 9. & 10 from which W. Walnut 10 in. dia: bears N82 N. 35 miles dist; to Beck 12 " " " " N87 N. 25 " " Lands rolling and Broken, Timber Beck, Oak. Ash &c

T. N^o 13. N.R. N^o 47. 2nd Mex. Ind.^a

East On a Random line between Sec. 3 & 10 T. N^o 13. N.R. 47.
 3.50 To a Brook. 10 links wide, Course S.
 40.00 Set a trapst $\frac{1}{4}$ cu. post.
 50.50 To a Brook 100 links wide, Course S.W.
 80.28 Intersect the N & S line, 2 links N. of the post cor.
 of sw. 2, 3, 10. & 11

West On the true line between Sec. 3 & 10 T. N^o 13. N.R. 47.
 40.14 Set the trapst post at the av. dist on the true line
 for the cor. of $\frac{1}{4}$ cu. from which a
 Sugar. 18 in. dia. bears N 59 E. - links dist; to
 Beech. 19 " " S 28 W. 31 " "
 80.28 To the post cor. of sec. 3, 4, 9 & 10
 Sand rolling and rich; timber same as before

North Between Sec. 3 & 4 T. N^o 13. N.R. N^o 47.
 15.00 To a Brook. 30 links wide, Course S.E.
 22.50 " " do. 30 " " " S.W.
 23.50 " " " 30 " " " S.E.
 25.05 To a Beech. 28 in dia. stands in the line
 34.00 To a Spring Branch. Course West
 40.00 Set a post for the cor. of $\frac{1}{4}$ cu. from which a
 Beech. 8 in dia. bears S 66 E 6 links dist; to a
 do. 14 " " " S 77 W 25 " "
 57.00 To a Brook 6 links wide, Course S.W.
 59.50 " " " " " " " S.E.
 68.12 To a Beech. 24 in. dia. stands in the line.
 81.60 To a Spring branch Course West
 82.50 Intersect the N. Boundary 345 links East of the post
 Cor of sw. 33 & 34 T. N^o 14. N.R. N^o 47. and set a
 post for the cor of sw. 3 & 4 from which a
 Beech. 24 in dia. bears N 74 E. 25 links dist; to
 do. 18 " " " S 77 W 35 " "

T. N^o 13. N. 4R. N^o 4W. 2nd Mn. Ind.

Land rolling; Timber Beech, W. Oak, Walnut, Ash,
and. Poplar. Under gth Spr. Oct. 7. 1819.

North Between Sec. 32 & 33. T. N^o 13. N. 4R. N^o 4W.
17.50 To a Beech 14 in. dia. Stands in the line.
40.00 Set a $\frac{1}{4}$ sec. post from which a
Beech 6 in. dia. Stands S 81 W. 10 links dist; to a
" 18 " " " N 10 W. 12 " "
62.00 To a Brook. 15 links wide, across W.
69.40 " " Sassafras 10 in dia. Stands in the line.
80.00 Set a post for the cor. of Sec. 28, 29, 32 & 33. from which a
Sugar. 16 in dia. bears. N 75 W. 15 links dist; to a
Do. 20 " " " N 85 E. 15 " "
Land rolling; Timber Beech; Sugar, W. Oak, Hickory
to Under gth Spr.

East On a Random line between Sec. 28. & 33. T. N^o 13. N. 4R. 4W.
40.00 Set a trip $\frac{1}{4}$ sec. post
79.86 Enter the N & S line 20 links South of the post cor.
of Sec. 27, 28, 33 & 34
Land rolling; Timber Beech, Sugar, W. Oak, Poplar
to Under gth Spr.

West On the true line between Sec. 28. & 33. T. N^o 13. N. 4R. 4W.
39.93 Set the trip $\frac{1}{4}$ post at the av. dist on the true line for
the cor. of $\frac{1}{4}$ sec. from which a
Sassafras. 24 in. dia. bears. N 10 E. 15 links dist; to a
Beech. 12 " " " N 26 W. 22 " "
79.86 To the post cor of Sec. 28, 29, 32 & 33.

North Between Sec. 28. & 29. T. N^o 13. N. 4R. N^o 4W.
27.50 To a Red. Oak 30 in dia. Stands in the line.
40.00 Set a $\frac{1}{4}$ sec. post from which a

T. N. 13. N. R. N. 4 W. 2nd Mer. Ind.

Hick. 12 in dia: bear N 55 W. 26 links dia; to
 Buck. 16 " " " S 52 E. 36 " "
 65.18 To a Buck 18 in dia: stands in the line
 81.00 Set a post for the cor. of sec. 20. 21. 28. & 29 from which
 — 18 in dia: bear N 13 W. 25 links dia; to
 Buck. 24 " " " S 25 W. 33 " "
 Sanded with; Tamar Buck, W. & R. Oak Sugar &
 Mud & the Spin, Ironwoods and Maple &

East On a Random line between Sec. 21. & 28 E. N. 13. N. R. 4 W.
 40.00 Set a temporary post.
 80.30 Intersected the N 13 line 56 links South of the post cor.
 of Sec. 21. 22. 27 & 28
 Sanded with and Brokaw; Tamar Buck, Sugar
 W. Oak, & Poplar. Mud & the Spin and Ironwoods

West On the true line between Sec. 21. & 28 E. N. 13. N. R. 4 W.
 40.15 Set the temporary post at the arr. dia: on the true line
 for the cor. of 1/4 sec. from which
 Buck 14 in dia: bear S 4 E. 37 links dia; and on
 Ironwood 6 " " " S 85 W. 14 " "
 80.30 To the cor. of sec. 20. 21. 28 & 29.

North Return Sec. 20. & 21 T. N. 13. N. R. 4 W.
 17.50 To a W Oak 30 in. dia: stands in the line.
 29.68 To a Spring Branch; Corner N. W.
 40.00 Set a 1/4 sec. post from which an
 R. Oak 48 in. dia: bear N 24 E. 18 links dia; to
 Sugar. 14 " " " S 25 W. 7 " "
 63.50 To a Buck 24 in. dia: stands in the line
 65.30 To a Brook 50 links wide, Corner N. W.
 80.00 Set a post for the cor. of sec. 16. 17. 20 & 21 from which
 Poplar 10 in dia: bear N 76 W. 23 links dia; and a

181

T. N. 13. N. R. N. 47. 2nd Mer. Ind.

Buck 24 in. dia. beam N 46 E. 14 links ash;
 Land very broken; Timber Beech, Sugar, ~~Apple~~
 W. Oak & Undergth Spruce & Elmwood &c

East On a Random line between Sec. 16 & 21. T. N. 13. N. R. 47.
 40.00 Set a temp^y $\frac{1}{4}$ sec. post
 80.25 Intersect the N. 13 line 4 links South of the post cor.
 of Sec. 15. 16. 21. & 22
 Lande post rolling & post very broken; Timber
 Beech, Sugar, Ash, & W. Oak & Undergth Spruce.

West On the true line between Sec. 16 & 21 T. N. 13. N. R. 47.
 40.13 Set the temp^y post at the av. dish in the true line
 for the cor. of $\frac{1}{4}$ sec. from which a
 Beech 30 in. dia. beam S 22 E. 12 links ash; & a
 Sugar 14 " " " N 2 E. 12 " "
 80.25 To the post cor. of Sec. 16. 17. 20 & 21 Oct. 6th 1819

North Between Sec. 16. & 17 T. N. 13. N. R. N. 47.
 17.82 To a Beech 28 in. dia. stands in the line.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar 20 in. dia. beam S 27 E. 26 links ash; & a
 W. Walnut 12 " " " N 72 W. 37 " "
 54.30 To a Sugar 12 in. dia. stands in the line
 55.00 To a Creek 100 links wide; Subsec N. W.
 78.00 To a Brook 4 links wide, Corner East
 80.00 Set a post for the cor. of Sec. 8. 9. 16. & 17. from which
 Beech 8 in. dia. beam S 81 E. 7 links ash; and an
 Elm 6 " " " N 54 W. 20 " "
 Lande N. $\frac{1}{2}$ mile hilly and broken; 2nd top rolling
 and rich; Timber W. Oak, Beech, & Sugar, Ash
 & W. Walnut &c. Undergth Spruce and Fairpaw &c

T. N. 13. N. R. N. 47. 2nd Mer. Ind.

East On a Random line between Sec. 9. & 16 T. 13. N. R. 47.
 40.00 Set a temporary $\frac{1}{4}$ sec. post.
 55.00 To a Buck. 50 links wide, Corner S.W.
 80.68 Intersect the N. & S. line 4 links South of the cor.
 of sec. 9. 10. 15 & 16.
 Land rolling and rich; Timber Buck, Sugar,
 Ash, Bt W. Walnut; Undergrowth Spice, Pawpaw.

West On the true line between Sec. 9. & 16 T. N. 13. N. R. 47.
 40.34 Set a $\frac{1}{4}$ sec. post at the avor. dish on the true line
 for the cor. of $\frac{1}{4}$ sec. from which a
 Cherry 6 in. dia. bears N 59 E 29 links dish; & a
 Sugar. 26 " " " S 32 E 21 " "
 80.68 To the cor. of sec. 8. 9. 16. & 17.

North Return Sec. 8. & 9 T. 13. N. R. 47.
 26.85 To a Buck. 18 in. dia. stands in the line
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Buck. 12 in. dia. bears N 13 E. 28 links dish; and a
 Do. 12 " " " South 25 " "
 52.20 To a Buck. 12 in. dia. stands in the line.
 53.50 To a Brook. 4 links wide, Corner S.E.
 80.00 Set a post for the cor. of sec. 4. 5. 8 & 9 from which a
 Buck. 12 in. dia. bears S 37 W. 31 links dish; & a
 Do. 16 " " " N 69 E. 22 " "
 Land rolling and rich; Timber Bt W. Walnut, Ash,
 Sugar. 7 Buck, Oak, &c Undergrowth Spice, Pawpaw.

East On a Random line between Sec. 4 & 9 T. N. 13. N. R. 47.
 40.00 Set a temporary $\frac{1}{4}$ sec. post.
 81.14 Intersect the N & S line 30 links North of the cor. of sec.
 3. 4. 9 & 10. Land rolling and rich; Timber W & B
 Walnut. W Oak, Ash, Poplar, Sugar, Buck, &c

T. N. 13. N. R. N. 47. 2nd Mer. Ind.

Beck 16 in. dia. beam N 30 E. 28 links dist; and a

Lo. 8 " " " S 44 W. 28 " "

Land rolling; Timber Buck, Sugar, ash, Poplar
to undergrowth Spruce

East On a Random line between Sec. 29 & 32 T. N. 13. N. R. 47.

40.00 Set a trap 7/4 cu. feet

59.00 To a Brook 25 links wide, Corner N. R.

80.68 Intersected the N. R. line 20 links North of the first
cor. of Sec. 28. 29. 32. & 33.

Land rolling; Timber Buck, Sugar, & R. Oak. Under
growth Spruce and Logwood.

West On the true line between Sec. 29 & 32 T. N. 13. N. R. 47.

40.34 Set the trap 7/4 feet at the corner dish on the true line
for the cor. of 1/4 Sec. from which a

Beck 17 in. dia. beam. N 4 E. 10 links dist; to a
Logwood 4 " " " S 87 W. 7 " "

80.68 To the first cor. of Sec. 29. 30. 31. & 32

North Between Sec. 29 & 30 T. N. 13. N. R. N. 47.

37.50 To a N. Oak. 24 in. dia. stands in the line.

40.00 Set a 7/4 cu. feet from which an

Amorodo 7 in. dia. beam. S 7 E. 27 links dist; to a
Sugar. 18 " " " N 83 W. 37. " "

47.64 To a Brook. 7 links wide, Corner West

62.12 To an Ash. 24 in. dia. stands in the line

80.00 Set a post for the corner of Sec. 19. 20. 29 & 30 from which

Beck 14 in. dia. beam N 48 E. 24 links dist; and a

Lo. 18 " " " S 56 W. 19 " "

Land rolling and rich; Timber N. Oak. Buck, Sugar
Walnut & Poplar. Undergrowth Spruce.

East On a Random line between Sec. 20 & 29 T. N^o 13 R. 47
 5.25 To spring branch. Course N.W.
 40.00 Set a tump^y $\frac{1}{4}$ sec. post
 62.50 To a Brook 22 links wide, Course N.W.
 81.12 Intersect the N.E. line 2 links South of the cor to
 20.21.28. & 29
 Land very hilly and broken; Timber Birch,
 Hickory & Oak; Undergrowth Spice and Dogwood

West On the true line between Sec. 20 & 29 T. N^o 13 R. 47
 40.56 Set the tump^y post at the av. dist on the true line
 for the cor. of $\frac{1}{4}$ sec. from which a
 Sugar. 15 in. dia. bears S 45 E. 18 links dist; and a
 Amurrod 4 " " N 5 E. 27 " "
 81.12 To the post cor. of sec. 19. 20. 29 & 30

North Between Sec. 19 & 20 T. N^o 13. N.R. N^o 47.
 7.50 To a Brook 6 links wide, Course West
 8.75 To a W. Walnut 12 in. dia. stands in the line.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar. 18 in. dia. bears N 73 E. 23 links dist; & a
 Q. 10 " " S 83 W. 20 " "
 45.00 To a Brook 50 links wide Course S.W.
 55.00 To a W. Walnut 36 in. dia. stands in the line
 80.00 Set a post for the cor. of sec. 17. 18. 19 & 20 from which a
 Birch 24 in. dia. bears N 43 W. 24 links dist; and a
 Q. 12 " " S 13 E. 10 " "
 Land Rth half mile very broken; 2nd p. rolling &
 partly bottom; Timber Birch, Sugar. Walnut, ash
 W. Oak & Undergrowth Spice & Pawpaw.

East On a Random line between Sec. 17 & 20 T. N^o 13. N.R. 47
 40.00 Set a tump^y $\frac{1}{4}$ sec. post (Post in Brook 100 lks wide)

T. N. 13. N. R. N. 4 W. 2nd Mer. Ind.

- 50.00 To a Brook 50 links wide, Corner S.W. -
 80.12 Into cut the N & S line 23 links back of the post cor. of
 Sec. 16. 17. 20 & 21.
 Sand rolling; and deep bottom; Timber Birch, Sugar
 Walnut, Oak, Ash, &c under the Spruce.

- West On the true line between Sec. 17 & 20 T. N. 13. N. R. 4 W.
 40.06 Set the temp. 7' post at the cor. dish on the true line for
 the cor. of 1/4 Sec. in the middle of a stream 100 lks
 wide from which are
 Elm 18 in. dia. bears S 87 W. 48 links dish; and are
 Elm 10 " " " S 79 W. 46 " "
 80.12 To the post cor. of Sec. 17. 18. 19 & 20

- North Between Sec. 17 & 18 T. N. 13. N. R. N. 4 W.
 15.25 To a Sugar. 15 in. dia. in the line
 40.00 Set a 7' post from which are
 Birch 20 in. dia. bears N 63 E. 14 links dish; & a
 Poplar 12 " " " N 60 W. 30 " "
 73.50 To a Birch. 20 in. dia. stands in the line.
 80.00 Set a post for the cor. of Sec. 7. 8. 17 & 18 from which are
 Birch 15 in. dia. bears S 25 E. 10 links dish; and are
 No. 4 " " " N 22 W. 2 " "
 Sand rolling; Timber Birch Sugar, Ash, Poplar,
 under the Spruce.

- East On a random line between Sec. 8 & 17 T. N. 13. N. R. 4 W.
 40.00 Set a temp. 7' 1/4 Sec. post
 64.00 To a Brook. 10 links wide, Corner S.W.
 77.50 To a Spring Branch, Corner S.E.
 80.57 Into cut the N & S line at the post cor. of Sec. 8. 9. 16
 & 17 Sand rolling and rich; Timber Birch, Sugar
 Walnut &c under the Spruce

187

T. N. 13. N. R. N. 4 W. 2nd (New Ind.)

West On the true line between Sec. 8 & 17 T. 13 N. R. 4 W.
 40.28 $\frac{1}{4}$ Set the temporary post at the av. dish on the true line for
 the cor. of $\frac{1}{4}$ sec. from which a
 Buck. 24 in. diam. bears S 77 E. 20 links dish; and a
 Hickory 15 " " " N 35 W. 20 " "
 80.57 To the post cor. of 7, 8, 17 & 18

North Between Sec. 7 & 8 T. N. 13. N. R. N. 4 W.
 14.50 To a Cherry 18 in. diam. stands in the line
 30.50 To a Brook 50 links wide Comes S. W.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Buck. 12 in. diam. bears N 70 E. 10 links dish; and a
 Do. 18 " " " S 64 W. 8 " "
 49.50 To a Hickory 24 in. diam. stands in the line.
 80.00 Set a post for the cor. of sec. 5, 6, 7 & 8 from which a
 Poplar 30 in. diam. bears S 40 E. 2 links dish; and a
 Buck. 12 " " " N 15 W. 12 " "
 Lands $\frac{1}{2}$ mile rolling; 2nd $\frac{1}{2}$ rolling and partly
 broken. Timber Buck, W. Oak, Sugar, Hickory &c. W.
 Spruce &c

East On a Random line between Sec. 5 & 8 T. N. 13. N. R. 4 W.
 22.00 To a Spring branch Comes S. W.
 27.50 To a Brook. 25 links wide, Comes S. W.
 40.00 Set a temporary $\frac{1}{4}$ sec. post.
 80.42 Intersected the N. 13 Line 25 links North of the of the
 cor. of sec. 4, 5, 8 & 9
 Lands rolling and broken. Timber W. Oak, Hickory,
 and Buck Sugar &c. Under the Spruce.

West On the true line between Sec. 5 & 8 T. N. 13. N. R. N. 4 W.
 40.21 Set the temporary post at the av. dish on the true line for the
 cor. of $\frac{1}{4}$ sec. from which a

T. N. 13. N. R. N. 4 W. 2nd Mer Ind.

Buck. 21 in dia. beam N 12 E. 18 links dieb; and o
 L. 15 " " " S 2 E. 43 " "
 80.42 To the post cor. of sec. 5, 6, 7 & 8.

North Between Sec. 5 & 6. T. N. 13. N. R. N. 4 W.
 16.50 To a Buck 10 in dia. It stands in the line
 40.00 Set a 4 in. post from which a
 Sugar. 24 in. dia. beam S 3 N. 23 links dieb; and o
 Buck. 28 " " " N 16 W. 23 " "
 56.50 To a Sugar. 12 in dia. It stands in the line.
 82.36 Entered the N Boundary 230 links East of the
 cor of sec. 31 & 32 T. 14. N. R. N. 4 W. and set a post
 for the cor. of sec. 5 & 6 from which a
 W. Oak 14 in. dia. beam S 43 E. 23 links dieb; & o
 W. Oak. 28 " " " S 63 E. 46 " "
 Land 2 1/2 mile long; 2nd & 3rd rolling; Timber Buck
 W Oak & Hickory. Sugar, Ash, &c. Underneath Spruce, &c.
 Oct. 10. 1819

West Between Sec. 30 & 31 T. 13. N. R. N. 4 W.
 14.00 To an Ash. 14 in. dia. It stands in the line.
 40.00 Set a 4 in. post from which a
 Buck. 8 in dia. beam S 69 N. 12 links dieb; and o
 L. 10 " " " N 1 W. 30 " "
 56.00 To a Brook 6 links wide. Course North.
 62.83 Entered the West Boundary 25 links South of the post
 cor of sec. 25 & 36. T. N. 13 N. R. 5 W. and set a post
 for the cor of sec. 30 & 31 from which a
 Sugar. 14 in dia. beam N 56 W. 11 links dieb; and o
 W. Oak 36 " " " N 62 E. 12 " "
 Land rolling and broken. Timber Buck, Sugar,
 Spruce, W Oak, &c. Underneath Spruce Ironwoods, &c.

189

T. N^o 13. N. R. N^o 4 W. Q. and M. Ind.

West Between Sec. 19 & 30 T. N^o 13. N. R. N^o 4 W
 18.31 To a Buck 24 in. dia. stands in the line
 40.00 Set a 7/8 cu. post from which
 Whip 24 in. dia. bears S 67 N. 14 links east; & 3
 Sugm. 24 " " " N 31 E. 21 " "
 56.00 To a Sycamore 36 in. dia. stands in the line.
 64.00 Intersected the West Boundary 130 links South of
 the post cor of Sec. 24 & 25 T. N^o 13. N. R. N^o 5 W.
 and set a post for the cor of Sec. 19 & 30 from which
 Sugm. 12 in. dia. bears S 44 N. 4 links east; and a
 Buck. 6 " " " N 14 W. 17 " "
 Sands 1st 1/2 rolling and rich; 2nd 1/2 post broken
 and rich; Timber 43 Walnut, Buck, Ash, W Oak
 & 1/2, Mangro Spin and Saw paw.

West Between Sec. 18 & 19 T. N^o 13. N. R. N^o 4 W
 1.50 To a Spring branch Corner S.E.
 19.81 To a Buck. 20 in. dia. stands in the line
 40.00 Set a 7/8 cu. post from which
 Sugm. 18 in. dia. bears N 4 E. 24 links east; & 3
 Buck. 14 " " " S 32 W. 3 " "
 50.00 To a Buck 12 in. dia. stands in the line.
 64.12 Intersected the West Boundary 134 links South of
 the post cor of Sec. 13 & 24 T. N^o 13. N. R. N^o 5 W. and
 set a post for the cor. of Sec. 18 & 19 from which
 a Buck. 18 in. dia. bears S 10 W. 29 links east; and a
 " 12 " " " N 66 E. 29 " "
 Sands rolling; Timber 7 Buck, W. Oak, Sugm, ash
 Walnut & 1/2, Undergth Spin

West On the true line between Sec. 18 & 19 T. N^o 13. N. R. N^o 4 W
 21.60 To a Buck 24 in. dia. stands in the line
 37.50 To a Buck 4 links into, Corner N. W

T. N. 13. N. R. N. 47 2nd Mer. Ind.

- 40.00 Set a $\frac{1}{4}$ cu. post from which an
 Oak 5 in. dia. bears S 24 E. 8 links dist; to
 Buck. 12 " " " S 40 E. 28 " "
- 63.90 To a Buckeye 12 in. dia. stands in the line
- 64.50 Intersect the West Boundary 125 links South of the
 post cor. of sec. 12 & 13 T. N. 13. N. R. N. 54. and
 set a post for the cor. of Sec. 7 & 18 from which a
 Sugar. 24 in. dia. bears S 65 W. 35 links dist; to
 Sp. 20 " " " N 85 E. 35 " "
- Land 8 $\frac{1}{2}$ mile rolling; 2nd & 3rd of Broken & Hilby
 Timber Buck, Sugar, Ash, W. Oak, Walnut &
 Undergrowth Spruce

- West Return Sec. 6 & 7 T. N. 13 N. R. 47
- 8.70 To a W. Oak 24 in. dia. stands in the line.
- 12.50 To a Brook 4 links side Course South
- 23.50 To a Spring branch - Course S. E.
- 40.00 Set a $\frac{1}{4}$ cu. post from which a
 Sugar. 20 in. dia. bears S 41 E. 15 links dist; to
 Buck. 12 " " " N 77 W. 13 " "
- 53.50 To a Poplar. 16 in. dia. stands in the line.
- 64.42 Intersect the West Boundary 218 links South of the post
 cor. of sec. 1 & 13 T. N. 13. N. R. N. 54. and set a
 post for the cor. of sec. 6 & 7 from which a
 Buck. 8 in. dia. bears S 5 E. 24 links dist; to
 Sp. 6 " " " N 47 W. 27 " "
- Land 8 $\frac{1}{2}$ mile Hilby and broken; 2nd & 3rd of land
 Timber Buck, Sugar W. Oak, Poplar, &c. Undergrowth
 Ironwoods and Spruce.

Surveyed by
 John Collett D. S.

T. N. 13. M. N. 4 N. 2nd Mer. Ind. 191

I certify that the foregoing Transcript of the
field notes of Township N. 13. North of Range
N. 4 West of the 2nd Principal Meridian, Indi-
ana has been compared with the Original
notes in this Office, and found to be correct.

Surveyor General's Office
Cincinnati March 25. 1844

E. P. Haines
Sur. Genl.